



# C509 NRS Resilient Wedge Gate Valve PO x FL Ends

# **MODEL 3200**

## **Specifications**

- Meet or exceed the requirements of AWWA C509 standard.
- Full waterway.
- 2" Square Operating Nut.
- Bolted bonnet.
- EPDM Fully Encapsulated Ductile Iron Wedge.
- Triple O-Ring stem seal.
- Flange and drilling complies with ASTM B16.1 Class 125.
  Push-on joint outlet complex with ANSI/AWWA C110/A21.10 standard.

• UL/ULC 262 listed, FM 1120/1130 approved.

• Certificated to ANSI/NSF 61 & 372.

### **Working Pressure and Temperature**

• 300 psi rated @ -10°C to 82°C.

### **Corrosion Protection**

• Fusion bonded coating interior and exterior meet or exceed all applicable of AWWA C550 standard.

# Options

- ASTM B150 or other standard bronze stem.
- ASTM A276 Grade 316 stem.
- 316 Stainless steel fasteners.
- Post flange.Handwheel

## **Material Specification**

Part	Material	<b>ASTM Specification</b>	
Body	Ductile Iron	A536 Grade 65-45-12	
Wedge	EPDM Fully Encapsulated Ductile Iron Wedge		
Wedge Nut	Bronze	B148 C95200	
Bonnet	Ductile Iron	A536 Grade 65-45-12	
Stem	Stainless Steel	A276 Grade 304	
Gland	Ductile Iron	A536 Grade 65-45-12	
Operating Nut	Ductile Iron	A536 Grade 65-45-12	
Post Flange	Ductile Iron	A536 Grade 65-45-12	
Fasteners	Stainless Steel F593 Grade 304		
Body/Bonnet Gasket	NBR	D2000	

# Main Dimensions (mm/inch)

Size	4	6	8	10	12
L	292/11.5	322/12.5	373/14.5	399/15.5	415/16.5
н	390/15.3	470/18.5	575/22.5	660/26.0	775/30.5
D	255/10.0	305/12.0	356/14.0	445/17.5	445/17.5

#### Notes

• 4" to 12" valves are UL listed.

Designs, materials and specifications shown are subject to change without notice due to the continuous development of our products.



#### Terminal City Iron Works Ltd. #3 - 9494 198<sup>th</sup> STREET, LANGLEY B.C. V1M 3C8 TEL. 604-513-3800 FAX. 604-513-3811 WWW.TERMINALCITY-ACS.COM



Schematic

